Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	592	(divid\$3 or partition\$3) near4 (router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:12
L2	1363	(logical or virtual) near2 router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:13
L3	73	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:13
L4	1	tl1 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:13
L5	28	3 and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:17
L6	6	1 and tl1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:15
L7	6	transaction adj language adj (message\$2 or command\$1 or request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:17
L8	114	tl1 adj (message\$1 or command\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:18
L9	53	8 and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:24

			_	,	Υ	
L10	26	9 and router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:18
L11	2	intercept\$3 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:18
L12	1	(intercept\$4 or redirect\$4) near5(tl1 near2 (request\$1 or message\$1 or command\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:21
L13	132	(tl1 near2 (request\$1 or message\$1 or command\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:26
L14	1	13 same (intercept\$4 or redirect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:21
L15	14	13 and (intercept\$4 or redirect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:22
L16	12993	(intercept\$3 or redirect\$4) near4 (request\$1 or message\$1 or command\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:29
L17	1	16 same tl1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:24
L18	24	16 and tl1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:24
L19	19	18 and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:31

						7
L20	416	(tl1 or "x.25") near2 (request\$1 or message\$1 or command\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:26
L21	9	20 same (intercept\$4 or redirect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:26
L22	45	(intercept\$3 or redirect\$4) near5 ((input adj command\$1) or (command adj response\$1) or acknowledgements or (automonmous adj message\$1) or tl1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:32
L23	26	22 and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:36
L24	2	22 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:32
L25	342	(intercept\$3 or redirect\$4) near5 ((input adj command\$1) or (command adj response\$1) or acknowledgements or (automonmous adj message\$1) or tl1 or command\$1 or request\$1 or message\$1) with router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:32
L26	2	25 and tl1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:32
L27	130	25 and @ad<"20010307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:37
L28	·14	27 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:38

L29	10	1 and 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:39
L30	4	"6674756".pn. or "6738828".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:40

3/8/06 5:57:10 PM Page 4